



Oxidative Stress Assays


Oxidative stress occurs when there is an imbalance between the production of chemically reactive species such as reactive oxygen, nitrogen, and sulfur species (ROS, RNS, RSS) and antioxidant defense mechanisms. Uncontrolled oxidation can disrupt redox signaling and cause injury to cellular components like lipids, proteins, and DNA/RNA, resulting in irreparable damage and eventual cell death. Cayman offers a collection of assays for both the direct measurement of reactive species as well as markers of oxidative stress.



Explore Cayman's Oxidative Stress Assays




ROS & RNS



Enzyme Activity



Markers of
Oxidative Stress



Antioxidant Detection
& Activity

A Guide to Oxidative Stress:
MARKERS & DETECTION TOOLS



DOWNLOAD THE GUIDE

www.caymanchem.com/OxStress-Guide

ROS & RNS Assays

ROS Assays

ROS are produced from molecular oxygen during normal cellular processes or in response to harmful exogenous factors. ROS have central roles in redox regulation and cell signaling, but excessive ROS production triggers oxidative stress.

Item No.	Product Name
600050	Hydrogen Peroxide Assay Kit
701600	Mitochondrial ROS Detection Assay Kit
601520	ROS Detection Cell-Based Assay Kit (DCFDA)
601290	ROS Detection Cell-Based Assay Kit (DHE)

Assay Kits for ROS-producing Enzymes

Item No.	Product Name
10006438	Myeloperoxidase Chlorination Fluorometric Assay Kit
700160	Myeloperoxidase Peroxidation Fluorometric Assay Kit
600620	Neutrophil Myeloperoxidase Activity Assay Kit
10010895	Xanthine Oxidase Fluorometric Assay Kit

Explore fluorescent probes and small molecule inhibitors for oxidative stress

www.caymanchem.com

MitoCheck® Assays

Measure the activity of complexes I–V of the electron transport chain with Cayman's MitoCheck® Assays.



CELLULAR METABOLISM ANALYSIS

Explore therapeutic avenues in various disease models using high-content imaging, enzymatic screening, and the Agilent Seahorse™ XF Pro.

- Mitochondrial biogenesis & function
- ROS generation & oxidative stress
- Immunometabolism studies
- Custom cellular models of disease

www.caymanchem.com/cellmetabolism

RNS Assays

RNS are also produced during oxidative stress. Nitric oxide synthase (NOS) uses L-arginine and O₂ to produce nitric oxide (NO[•]). Nitrate and nitrite are degradation products of NO that can be used as an indirect measure of NO production.

Item No.	Product Name
780001	Nitrate/Nitrite Colorimetric Assay Kit
760871	Nitrate/Nitrite Colorimetric Assay Kit (LDH method)
780051	Nitrate/Nitrite Fluorometric Assay Kit

Assay Kits for ROS-detoxifying Enzymes

Item No.	Product Name
707002	Catalase Assay Kit *
703102	Glutathione Peroxidase Assay Kit
706002	Superoxide Dismutase Assay Kit

**Item No. 700910 is available without H₂O₂ to our international customers with shipping restrictions.*

NOS Activity Assay Kit

[Item No. 781001](#)

For the measurement of NOS activity

- **Sample type:** cell lysates and purified preparations
- **Detection method:** scintillation *

**Radiolabeled arginine not supplied*

Assay Kits for Markers of Oxidative Stress

Oxidative stress can be measured indirectly by assessing the associated damage to proteins, lipids, and DNA/RNA. Cayman offers a broad range of assays to detect oxidation of these biomolecules.

Protein Modification Kits

Item No.	Product Name
10005020	Protein Carbonyl Colorimetric Assay Kit
10010721	S-Glutathionylated Protein Detection Kit
600160	Methionine Sulfoxide Immunoblotting Kit
10006518	S-Nitrosylated Protein Detection Kit (Biotin Switch)
600320	Sulfenylated Protein Cell-Based Detection Kit

Lipid Peroxidation Assay Kits

Item No.	Product Name
516351	8-Isoprostanate ELISA Kit
516360	8-Isoprostanate Express ELISA Kit
500431	STAT-8-Isoprostanate ELISA Kit
501140	DHN-MA EIA Kit
705002	Lipid Hydroperoxide (LPO) Assay Kit
10009055	TBARS Assay Kit
700870	TBARS (TCA Method) Assay Kit

Tools to Measure DNA Damage

DNA/RNA Oxidative Damage (High Sensitivity) ELISA Kit -

Item No. 589320

Measure the major oxidative damage markers

8-hydroxy-2'-deoxyguanosine, 8-hydroxyguanosine, and 8-hydroxyguanine in a variety of sample types.

DNA/RNA Oxidative Damage (Clone 7E6.9) ELISA Kit -

Item No. 501130


Measure the DNA oxidative damage marker

8-hydroxy-2'-deoxyguanosine and the RNA damage marker 8-hydroxyguanosine with equal selectivity and sensitivity.


Protein Normalization Kits

Total protein normalization allows the comparison of relative protein levels between samples.

Item No.	Product Name
760200	Micro BCA Protein Assay Kit
701780	Protein Determination (BCA) Kit




Protein Modifications. ROS, RNS, and RSS react with proteins, resulting in modifications to various amino acid residues that can alter the structure and/or function of cellular proteins.



Lipid Peroxidation. Lipid peroxidation is most often initiated by ROS like OH•, which target polyunsaturated fatty acids (PUFAs). This initiates a chain reaction that results in the formation of highly reactive and unstable lipid hydroperoxides (LPOs).



DNA/RNA Damage. Guanine is the base most prone to oxidation when DNA and RNA are damaged. The repair processes that are initiated to correct this damage result in the excretion of oxidized guanine species into the urine.



Stressed about Picking an Oxidative Damage Assay?

Get dependable results with reliable assays. Explore trusted methods used in Cayman's oxidative damage assays.

www.caymanchem.com/oxidativedamage

Antioxidant Detection & Activity

Enzymatic and cellular antioxidants protect vital cell functions by scavenging reactive species and preventing irreversible injury.

Glutathione Assay Kits

The ratio of GSH:GSSG is frequently used as a marker of oxidative stress. Determine total, GSH, and/or GSSG levels with this assay kit.

FEATURED PRODUCT

Glutathione Assay Kit - Item No. 703002

- **Assay range:** 0.25-8 μ M (GSSG) or 0.5-16 μ M (GSH)
- **Detection method:** colorimetric (405-414 nm)

Item No.	Product Name
600360	Glutathione Cell-Based Detection Kit (Blue Fluorescence)

FEATURED PRODUCT

Nrf2 Transcription Factor Assay Kit -


Item No. 600590

Nuclear factor E_2 -related factor 2 (Nrf2) is a transcription factor that induces the expression of several genes encoding cytoprotective proteins, including antioxidative enzymes and anti-inflammatory mediators.

- Sensitive, non-radioactive method of detecting Nrf2 from whole cell lysates
- Detect the dsDNA-bound transcription factor with specific antibodies in an ELISA format

Glutaredoxin System


The glutaredoxin system catalyzes the deglutathionylation of glutathionylated proteins and the reduction of protein disulfides.



Item No.	Product Name
500239	Glutaredoxin Fluorometric Activity Assay Kit
703202	Glutathione Reductase Assay Kit

Thioredoxin System

The thioredoxin system is responsible for the reduction of protein disulfides.



Item No.	Product Name
500228	Thioredoxin Fluorometric Activity Assay Kit
10007892	Thioredoxin Reductase Colorimetric Assay Kit

Antioxidant Assay Kit

Cayman's Antioxidant Assay Kit measures the cumulative effect of all antioxidants present in a sample, providing a complete picture of the total cellular antioxidant status.

Item No. 709001

Measure antioxidant capacity in Trolox equivalents down to 44 μ M

- Detection method: colorimetric (405 or 750 nm)

CELL DEATH MECHANISMS & DETECTION TOOLS GUIDE

Assess the ultimate consequence of oxidative injury with a cell death assay.



DOWNLOAD THE GUIDE